



<u>Procedure</u>	<u>Result</u>	<u>Units</u>	<u>Ref Interval</u>	<u>Accession</u>	<u>Collected</u>	<u>Received</u>	<u>Reported/</u> <u>Verified</u>
Vulvovaginal Candida Species, Source	Vaginal Swab			16-354-900172	19-Dec-16 15:17:00	19-Dec-16 15:20:00	19-Dec-16 15:38:23
C. albicans by PCR	<b>Detected *</b>			16-354-900172	19-Dec-16 15:17:00	19-Dec-16 15:20:00	19-Dec-16 15:38:23
C. glabrata by PCR	Not Detected			16-354-900172	19-Dec-16 15:17:00	19-Dec-16 15:20:00	19-Dec-16 15:38:23
C. parapsilosis complex by PCR	Not Detected			16-354-900172	19-Dec-16 15:17:00	19-Dec-16 15:20:00	19-Dec-16 15:38:23
C. tropicalis by PCR	Not Detected			16-354-900172	19-Dec-16 15:17:00	19-Dec-16 15:20:00	19-Dec-16 15:38:23
C. krusei by PCR	Not Detected			16-354-900172	19-Dec-16 15:17:00	19-Dec-16 15:20:00	19-Dec-16 15:38:23
C. dubliniensis by PCR	Not Detected			16-354-900172	19-Dec-16 15:17:00	19-Dec-16 15:20:00	19-Dec-16 15:38:23

19-Dec-16 15:17:00 C. dubliniensis by PCR:  
 INTERPRATIVE DATA: Vulvovaginal Candida Species by PCR  
 Low-positive results are reported as Equivocal. Low levels of Candida spp. can be found in asymptomatic women. A cutoff for low-positive results for this test was determined in a study of asymptomatic women.

A negative result does not rule out the presence of PCR inhibitors in the patient specimen or test-specific nucleic acid in concentrations below the level of detection by this test.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

\* Abnormal, # = Corrected, C = Critical, f = Footnote, H = High, L = Low, t = Interpretive Text, @ = Reference Lab