



<u>Procedure</u>	<u>Result</u>	<u>Units</u>	<u>Ref Interval</u>	<u>Accession</u>	<u>Collected</u>	<u>Received</u>	<u>Reported/</u> <u>Verified</u>
Hours Collected	24	hr		17-255-900016	12-Sep-17 05:37:00	12-Sep-17 05:37:00	12-Sep-17 05:51:08
Total Volume	1785	mL		17-255-900016	12-Sep-17 05:37:00	12-Sep-17 05:37:00	12-Sep-17 05:51:08
Creatinine, Urine - per volume	55	mg/dL		17-255-900016	12-Sep-17 05:37:00	12-Sep-17 05:37:00	12-Sep-17 05:51:08
Creatinine, Urine - per 24h	982	mg/d	[600-2,000]	17-255-900016	12-Sep-17 05:37:00	12-Sep-17 05:37:00	12-Sep-17 05:51:08
Cadmium, Urine - per volume	>25.0 H	ug/L	[0.0-1.0]	17-255-900016	12-Sep-17 05:37:00	12-Sep-17 05:37:00	12-Sep-17 05:51:08
Cadmium, Urine - per 24h	>44.6 H	ug/d	[0.0-3.2]	17-255-900016	12-Sep-17 05:37:00	12-Sep-17 05:37:00	12-Sep-17 05:51:08
Cadmium, Urine - ratio to CRT	>45.5 H	ug/g CRT	[0.0-3.2]	17-255-900016	12-Sep-17 05:37:00	12-Sep-17 05:37:00	12-Sep-17 05:51:08

12-Sep-17 05:37:00 Cadmium, Urine - per volume:
 INTERPRETATION INFORMATION: Cadmium, Urine

Urine cadmium levels can be used to assess cadmium body burden. In chronic exposures, the kidneys are the primary target organ. Symptoms associated with cadmium toxicity vary based upon route of exposure and may include tubular proteinuria, fever, headache, dyspnea, chest pain, conjunctivitis, rhinitis, sore throat and cough. Ingestion of cadmium in high concentration may cause vomiting, diarrhea, salivation, cramps, and abdominal pain.

See Compliance Statement B: aruplab.com/CS

* Abnormal, # = Corrected, C = Critical, f = Footnote, H = High, L = Low, t = Interpretive Text, @ = Reference Lab