ARUP LABORATORIES | aruplab.com
500 Chipeta Way, Salt Lake City, Utah 84108-1221
phone: 801-583-2787, toll free: 800-522-2787
Jonathan R. Genzen, MD, PhD, Chief Medical Officer

PATIENT REPORT

Patient Age/Sex: 26 years Male

Specimen Collected: 27-Jan-26 11:47

HSV 1,2 Glyco G-Specific, IgG | **Received: 27-Jan-26 11:50** **Report/Verified: 27-Jan-26 15:11**

Procedure	Result	Units	Reference Interval
HSV 1 Glycoprotein G Ab,IgG	1.01 H i1	COI	[<=0.99]
HSV 2 Glycoprotein G Antibody, IgG	1.01 H i2	COI	[<=0.99]

Test Information

i1: HSV 1 Glycoprotein G Ab, IgG

REFERENCE INTERVAL: HSV 1 Glycoprotein G Ab, IgG

0.99 COI or less	Negative: No significant level of detectable IgG antibody to HSV type 1 glycoprotein G.
1.00 COI or greater ...	Positive: IgG antibody to HSV type 1 glycoprotein G detected, which may indicate a current or past HSV infection.

Individuals infected with HSV may not exhibit detectable IgG antibody to type-specific HSV antigens 1 and 2 in the early stages of infection. Detection of antibody presence in these cases may only be possible using a nontype specific screening test.

i2: HSV 2 Glycoprotein G Antibody, IgG

REFERENCE INTERVAL: HSV 2 Glycoprotein G Ab, IgG

0.99 COI or less	Negative: No significant level of detectable IgG antibody to HSV type 2 glycoprotein G.
1.00 COI or greater....	Positive: IgG antibody to HSV type 2 glycoprotein G detected, which may indicate a current or past HSV infection.

Individuals infected with HSV may not exhibit detectable IgG antibody to type-specific HSV antigens 1 and 2 in the early stages of infection. Detection of antibody presence in these cases may only be possible using a nontype specific screening test.

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H-High, i-Test Information, L-Low, t-Interpretive Text, @=Performing lab