



<u>Procedure</u>	<u>Result</u>	<u>Units</u>	<u>Ref Interval</u>	<u>Accession</u>	<u>Collected</u>	<u>Received</u>	<u>Reported/</u> <u>Verified</u>
Strongyloides Antibody, IgG By ELISA	1.3 H	IV	[<=0.9]	18-169-900012	18-Jun-18 08:11:00	18-Jun-18 08:11:00	18-Jun-18 08:12:18

18-Jun-18 08:11:00 Strongyloides Antibody, IgG By ELISA:  
 INTERPRETIVE INFORMATION: Strongyloides Ab, IgG by ELISA

- 0.9 IV or less..... Negative - No significant level of Strongyloides IgG antibody detected.
- 1.0 IV.....Equivocal - The Strongyloides IgG antibody result is borderline and therefore inconclusive. Recommend retesting the patient in 2-4 weeks, if clinically indicated.
- 1.1 IV or greater ... Positive - IgG antibodies to Strongyloides detected, which may suggest current or past infection.

False-positive results may occur with prior exposure to other helminth infections. Testing low-prevalence populations may also result in false-positive results.

\* Abnormal, # = Corrected, C = Critical, f = Footnote, H = High, L = Low, t = Interpretive Text, @ = Reference Lab