

500 Chipeta Way, Salt Lake City, Utah 84108-1221

phone: 801-583-2787, toll free: 800-522-2787

Tracy I. George, MD, Chief Medical Officer

Patient Age/Gender: 25 years Male

Specimen Collected: 20-Jan-21 15:21

COVID-19 IgG, Semi-Quantitative by CIA | Received: 20-Jan-21 15:25 Report/Verified: 20-Jan-21 15:28

	Result	Units	Reference Interval
COVID-19 IgG Index by CIA	1.01 ^{# f1 i1}	IV	<=0.99
COVID-19 IgG by CIA Interpretation	Positive *		Negative

Result Footnote

f1: COVID-19 IgG Index by CIA

A positive result suggests exposure to SARS-CoV-2 (COVID-19) or possibly vaccination but does not necessarily indicate immunity. False-positive results can occur due to past or present infection with non-SARS-CoV-2 coronavirus strains, such as coronavirus HKU1, NL63, OC43, or 229E. False-positive results are also possible in low prevalence settings even when an antibody test has >98.0% specificity. Results from antibody testing should not be used as the sole basis to diagnose or exclude SARS-CoV-2 infection or to inform infection status.

Test Information

i1: COVID-19 IgG Index by CIA

This test is for in vitro diagnostic use under an FDA Emergency Use Authorization (EUA). In compliance with this authorization, more information and applicable information sheets are available at <https://www.aruplab.com/infectious-disease/coronavirus/testing>.

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H=High, i=Test Information, L=Low, t=Interpretive Text, @=Performing Lab

Unless otherwise indicated, testing performed at:

ARUP Laboratories

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Tracy I. George, MD

ARUP Accession: 21-020-900111

Report Request ID: 13700164

Printed: 21-Jan-21 08:52

Page 1 of 1