

500 Chipeta Way, Salt Lake City, Utah 84108-1221

phone: 801-583-2787, toll free: 800-522-2787

Tracy I. George, MD, Chief Medical Officer

Patient Age/Sex: 10 years Male

Specimen Collected: 03-Jun-22 10:32

MPS 1/2, Serum/Plasma		Received: 03-Jun-22 10:33	Report/Verified: 03-Jun-22 10:35
Procedure	Result	Units	Reference Interval
MPS 1/2 Serum/Plasma	See Note ⁱ¹		
Interpretation			
Total Heparan Sulfate, 300		ng/mL	<=338
Serum/Plasma			
I0S0 (MPS 1 NRE),	10	ng/mL	<=12
Serum/Plasma			
I0S6 (MPS 1 NRE),	10	ng/mL	<=12
Serum/Plasma			
I2S0 (MPS 2 NRE),	30	ng/mL	<=43
Serum/Plasma			
EER MPS 1/2 Serum/Plasma	See Note		

Test Information

i1: MPS 1/2 Serum/Plasma Interpretation
 INTERPRETIVE INFORMATION: MPS 1/2, Serum/Plasma

Total Heparan Sulfate, Serum/Plasma is a sum of the internal disaccharides D0A0 and D0S0.

NRE = Non Reducing End

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H=High, i=Test Information, L=Low, t=Interpretive Text, @=Performing lab

Unless otherwise indicated, testing performed at:

ARUP Laboratories

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Tracy I. George, MD

ARUP Accession: 22-154-900064

Report Request ID: 16262588

Printed: 17-Jun-22 10:47