
Specimen Collected: 13-Jun-23 05:53**GABA-B Receptor IgG Ab CBA, Ser, |Received: 13-Jun-23 06:05 Report/Verified: 13-Jun-23 06:25
w/ Rflx**

Procedure	Result	Units	Reference Interval
GABA-BR Ab IgG CBA-IFA Scrn, Ser	Detected * t1 i1		[<1:10]

**GABA-B Rptr Ab IgG Titer by |Received: 13-Jun-23 06:05 Report/Verified: 13-Jun-23 06:25
CBA-IFA, Ser**

Procedure	Result	Units	Reference Interval
GABA-BR Ab IgG CBA-IFA Titer, Ser	1:640 * i2		[<1:10]

Interpretive Text

t1: 13-Jun-23 05:53 (GABA-BR Ab IgG CBA-IFA Scrn, Ser)
GABA-BR Antibody, IgG is detected. Titer results to follow.

Test Information

i1: GABA-BR Ab IgG CBA-IFA Scrn, Ser
INTERPRETIVE INFORMATION: GABA Receptor Ab IgG Screen,
Serum

Gamma-amino butyric acid receptor, type B (GABA-BR) antibody is found in a subset of patients with autoimmune epilepsy and other autoimmune neurologic phenotypes; it may occur with or without associated tumor. Decreasing antibody levels may be associated with therapeutic response. A negative test result does not rule out a diagnosis of autoimmune neurologic disease. Results should be interpreted in correlation with the patient's clinical history and other laboratory findings.

This indirect fluorescent antibody assay utilizes GABA-BR transfected cell lines for the detection and semiquantification of GABA-BR IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

i2: GABA-BR Ab IgG CBA-IFA Titer, Ser
INTERPRETIVE INFORMATION: GABA-B Receptor Ab IgG Titer,
Serum

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H-High, i-Test Information, L-Low, t-Interpretive Text, @=Performing lab

Unless otherwise indicated, testing performed at:**ARUP Laboratories**

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

ARUP Accession: 23-164-900040**Report Request ID:** 17764009**Printed:** 20-Jun-23 09:10

Page 1 of 1