



Procedure	Result	Units	Ref Interval	Accession	Collected	Received	Reported/ Verified
PAPP-A Maternal	986.6	ng/mL		17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
MoM for PAPP-A	0.75			17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Patient's hCG, 1st Trimester	87474	IU/L		17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
hCG MoM, 1st Trimester	1.17			17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Nuchal Translucency (NT)	1.25	mm		17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
MoM for NT	0.64			17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Nuchal Translucency (NT), Twin B	Not Applicable	mm		17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
MoM for NT, Twin B	Not Applicable			17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Maternal Screen Interpretation	Scrn Negative			17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Maternal Age At Delivery	19.5	yr		17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Maternal Weight	150.0 lbs.			17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Gestational Age Calculated at Collection	13 wks, 4 days			17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Number of Fetuses	Singleton			17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Maternal Race	Nonblack			17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Smoking	No			17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Family History of Aneuploidy	No			17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Specimen	See Note	f		17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Crown Rump Length	78.9	mm		17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Crown Rump Length, Twin B	Not Applicable	mm		17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Sonographer Certification #	P0000			17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Sonographer Name	Sonographer			17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
Ultrasound Date	12-18-17			17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27
EER Maternal Serum, First Trimester	See Note			17-352-900150	18-Dec-17 12:59:00	18-Dec-17 12:59:00	18-Dec-17 13:07:27

18-Dec-17 12:59:00 Maternal Screen Interpretation:
 INTERPRETATION: SCREEN NEGATIVE for Down Syndrome and Trisomy 18

Down syndrome (DS)	Negative		
Trisomy 18 (T18)	Negative		
	Pre-Test	Post-Test	Cutoff
Down Syndrome Risks	1:849	1:6220	1:230
Trisomy 18 Risks	1:4170	1:10000	1:100

Comments:

The risk of Down syndrome is less than the screening cut-off.

The risk of trisomy 18 is less than the screening cut-off.

18-Dec-17 12:59:00 Specimen:
 Initial sample

18-Dec-17 12:59:00 PAPP-A Maternal:

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

* Abnormal, # = Corrected, C = Critical, f = Footnote, H = High, L = Low, t = Interpretive Text, @ = Reference Lab