



Procedure	Result	Units	Ref Interval	Accession	Collected	Received	Reported/Verified
PAPP-A Maternal	789.0	ng/mL		17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Nuchal Translucency (NT)	1.20	mm		17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Nuchal Translucency (NT), Twin B	Not Applicable	mm		17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Maternal Screen Interpretation	See Note	f		17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Maternal Age At Delivery	26.5	yr		17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Maternal Weight	120.0 lbs.			17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Estimated Due Date	07-02-18			17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Gestational Age Calculated at Collection	12 wks, 0 days			17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Dating	Ultrasound			17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Number of Fetuses	Singleton			17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Maternal Race	Nonblack			17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Smoking	No			17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Family History of Aneuploidy	No			17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Specimen	See Note	f		17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Crown Rump Length	56.9	mm		17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Crown Rump Length, Twin B	Not Applicable	mm		17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Sonographer Certification #				17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Sonographer Name				17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Ultrasound Date	12-18-17			17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
Best date to draw sample #2 by	01-29-18			17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46
EER Maternal Serum, Integrated, Spcml	See Note			17-352-900151	18-Dec-17 13:01:00	18-Dec-17 13:01:00	18-Dec-17 13:11:46

18-Dec-17 13:01:00 Maternal Screen Interpretation:

Comments:

This is an interim report for an integrated screening test panel. The first sample was processed and all required first trimester information has been received. The MoMs, risks, and screening results will be reported after we receive and process the second trimester sample.

Second trimester serum markers are needed to provide a final interpretation. The ideal time to draw the second sample is between 16 and 18 weeks gestation. For this patient, ideally collect between 01-15-18 and 01-29-18. However, the sample may be drawn as early as 01-01-18 or as late as 03-18-18 and still provide valid information.

18-Dec-17 13:01:00 Specimen:
 Initial sample

18-Dec-17 13:01:00 PAPP-A Maternal:

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

* Abnormal, # = Corrected, C = Critical, f = Footnote, H = High, L = Low, t = Interpretive Text, @ = Reference Lab