

Procedure	Result	Units	Ref Interval	Accession	Collected	Received	Reported/Verified
Clq Binding Assay	6.3 H	ug Eq/mL	[0.0-3.9]	18-362-900051	28-Dec-18 12:19:00	28-Dec-18 12:21:00	28-Dec-18 12:30:23
Raji Cell Immune Complex Assay	45 H	ugE/mL	[<=24]	18-362-900051	28-Dec-18 12:19:00	28-Dec-18 12:21:00	28-Dec-18 12:30:23

28-Dec-18 12:19:00 Clq Binding Assay:
 INTERPRETIVE INFORMATION: ClQ Binding Assay

Less than or equal to 3.9 ug Eq/mL is considered negative for circulating complement binding immune complexes.

Circulating immune complexes may be found without any evident pathology and positive results do not necessarily implicate the immune complex in a disease process.

28-Dec-18 12:19:00 Raji Cell Immune Complex Assay:
 INTERPRETIVE INFORMATION: Raji Cell Immune Complex Assay

Many autoimmune disorders, chronic infections and malignancies are associated with circulating immune complexes. Quantitation of immune complexes assists in staging immunologic disorders.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement A: aruplab.com/CS

* Abnormal, # = Corrected, C = Critical, f = Footnote, H = High, L = Low, t = Interpretive Text, @ = Reference Lab