



<u>Procedure</u>	<u>Result</u>	<u>Units</u>	<u>Ref Interval</u>	<u>Accession</u>	<u>Collected</u>	<u>Received</u>	<u>Reported/</u> <u>Verified</u>
HSV 2 Glycoprotein G Antibody, IgG	0.89	IV	[<=0.89]	19-343-900200	09-Dec-19 11:25:00	09-Dec-19 11:26:00	09-Dec-19 11:29:10

09-Dec-19 11:25:00 HSV 2 Glycoprotein G Antibody, IgG:
 REFERENCE INTERVAL: HSV 2 Glycoprotein G Ab, IgG

- 0.89 IV or less Negative - No significant level of detectable IgG antibody to HSV type 2 glycoprotein G.
- 0.90 - 1.09 IV Equivocal - Questionable presence of IgG antibody to HSV type 2 glycoprotein G. Repeat testing in 10 - 14 days may be helpful.
- 1.10 IV or greater Positive - IgG antibody to HSV type 2 glycoprotein G detected, which may indicate a current or past HSV infection.

Individuals infected with HSV may not exhibit detectable IgG antibody to type-specific HSV antigens 1 and 2 in early stages of infection. Detection of antibody presence in these cases may only be possible using a non-type specific screening test.

* Abnormal, # = Corrected, C = Critical, f = Footnote, H = High, L = Low, t = Interpretive Text, @ = Reference Lab