

Specimen Collected: 22-Dec-20 10:29

Allergen, Food, Adult Common 13 IgE | Received: 22-Dec-20 10:30 Report/Verified: 22-Dec-20 10:33

	Result	Units	Reference Interval
Allergen, Food, Clam IgE	5.00 <sup>H</sup>	kU/L	<=0.34
Allergen, Food, Codfish IgE	5.00 <sup>H</sup>	kU/L	<=0.34
Allergen, Food, Corn IgE	5.00 <sup>H</sup>	kU/L	<=0.34
Allergen, Food, Egg White IgE	5.00 <sup>H</sup>	kU/L	<=0.34
Allergen, Food, Milk (Cow) IgE	5.00 <sup>H</sup>	kU/L	<=0.34
Allergen, Food, Peanut IgE	5.00 <sup>H</sup>	kU/L	<=0.34
Allergen, Food, Scallop IgE	5.00 <sup>H</sup>	kU/L	<=0.34
Allergen, Food, Sesame Seed IgE	5.00 <sup>H</sup>	kU/L	<=0.34
Allergen, Food, Shrimp IgE	5.00 <sup>H</sup>	kU/L	<=0.34
Allergen, Food, Soybean IgE	5.00 <sup>H</sup>	kU/L	<=0.34
Allergen, Food, Walnut (Juglans spp) IgE	5.00 <sup>H</sup>	kU/L	<=0.34
Allergen, Food, Wheat IgE	>100.00 <sup>H</sup>	kU/L	<=0.34
Immunoglobulin E	500 <sup>H i1</sup>	kU/L	<=214

RAST, Immunocap Score | Received: 22-Dec-20 10:30 Report/Verified: 22-Dec-20 10:33

	Result	Units	Reference Interval
Allergen, Interp, Immunocap Score IgE	See Note <sup>i2</sup>		

**Test Information**

i1: Immunoglobulin E  
REFERENCE INTERVAL: Immunoglobulin E, Serum

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

i2: Allergen, Interp, Immunocap Score IgE  
REFERENCE INTERVAL: Allergen, Interpretation

Less than 0.10 kU/L.....Class 0.....No significant level detected  
 0.10-0.34 kU/L.....Class 0/1...Clinical relevance undetermined  
 0.35-0.70 kU/L.....Class 1.....Low  
 0.71-3.50 kU/L.....Class 2.....Moderate  
 3.51-17.50 kU/L.....Class 3.....High

\*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H=High, i=Test Information, L=Low, t=Interpretive Text, @=Performing Lab

Unless otherwise indicated, testing performed at:

**ARUP Laboratories**  
 500 Chipeta Way, Salt Lake City, UT 84108  
 Laboratory Director: Tracy I. George, MD

**ARUP Accession:** 20-357-900046  
**Report Request ID:** 13695285  
**Printed:** 22-Dec-20 10:42  
 Page 1 of 2

**Test Information**

i2: Allergen, Interp, Immunocap Score IgE  
17.51-50.00 kU/L.....Class 4.....Very High  
50.01-100.00 kU/L.....Class 5.....Very High  
Greater than 100.00kU/L..Class 6.....Very High

Allergen results of 0.10-0.34 kU/L are intended for specialist use as the clinical relevance is undetermined. Even though increasing ranges are reflective of increasing concentrations of allergen-specific IgE, these concentrations may not correlate with the degree of clinical response or skin testing results when challenged with a specific allergen. The correlation of allergy laboratory results with clinical history and in vivo reactivity to specific allergens is essential. A negative test may not rule out clinical allergy or even anaphylaxis.

---

\*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H=High, i=Test Information, L=Low, t=Interpretive Text, @=Performing Lab

***Unless otherwise indicated, testing performed at:***

**ARUP Laboratories**

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Tracy I. George, MD

**ARUP Accession:** 20-357-900046

**Report Request ID:** 13695285

**Printed:** 22-Dec-20 10:42