

Specimen Collected: 01-Dec-20 14:01

<b>Membrane Nephropathy Comp Autoantibodies</b>	Received: 01-Dec-20 14:01	Report/Verified: 01-Dec-20 14:05
---	---------------------------	----------------------------------

	Result	Units	Reference Interval
Phospholipase A2 Receptor, IgG	<b>Detected * t1</b>		<1:10
THSD7A Ab, IgG, Screen	<b>Detected * t2 i1</b>		<1:10

<b>Phospholipase A2 Receptor, IgG Titer</b>	Received: 01-Dec-20 14:01	Report/Verified: 01-Dec-20 14:05
---	---------------------------	----------------------------------

	Result	Units	Reference Interval
Phospholipase A2 Receptor, IgG Titer	<b>1:80 *</b>		<1:10

<b>THSD7A Antibody, IgG, Titer</b>	Received: 01-Dec-20 14:01	Report/Verified: 01-Dec-20 14:05
------------------------------------	---------------------------	----------------------------------

	Result	Units	Reference Interval
THSD7A Ab, IgG, Titer	<b>1:80 * i1</b>		<1:10

**Interpretive Text**

t1: 01-Dec-20 14:01 (Phospholipase A2 Receptor, IgG)  
A positive result (1:10 or greater) for Phospholipase A2 Receptor Antibody, IgG, in conjunction with other laboratory and clinical findings, supports a diagnosis of primary membranous glomerulonephritis (PMGN).

t2: 01-Dec-20 14:01 (THSD7A Ab, IgG, Screen)  
A positive result (1:10 or greater) for thrombospondin type 1 domain containing 7A (THSD7A) IgG antibody in conjunction with other laboratory and clinical findings, supports a diagnosis of primary membranous glomerulonephritis (PMGN).

**Test Information**

i1: THSD7A Ab, IgG, Screen, THSD7A Ab, IgG, Titer

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

\*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H=High, i=Test Information, L=Low, t=Interpretive Text, @=Performing Lab

**Unless otherwise indicated, testing performed at:****ARUP Laboratories**

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Tracy I. George, MD

**ARUP Accession:** 20-336-900111**Report Request ID:** 13695732**Printed:** 23-Dec-20 10:03

Page 1 of 1