

**Specimen Collected: 16-Dec-21 15:20**

**Lactate Dehydrogenase Body Fluid | Received: 16-Dec-21 15:26 Report/Verified: 16-Dec-21 15:53**

Procedure	Result	Units	Reference Interval
Lactate Dehydrogenase	15 <sup>i1</sup>	U/L	
Total, Body Fluid			
LDH Fluid Source	CSF		

**Test Information**

i1: Lactate Dehydrogenase Total, Body Fluid

INTERPRETIVE INFORMATION: Lactate Dehydrogenase Total, Body Fluid

For information on body fluid reference ranges and/or interpretive guidance visit <http://aruplab.com/bodyfluids/>

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

\*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H-High, i-Test Information, L-Low, t-Interpretive Text, @=Performing lab

**Unless otherwise indicated, testing performed at:**

**ARUP Laboratories**

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Tracy I. George, MD

**ARUP Accession:** 21-350-900169

**Report Request ID:** 15066496

**Printed:** 16-Dec-21 16:24