

Specimen Collected: 03-Dec-21 15:21

ACTH Stimulating Cortisol 0 Min	Received: 03-Dec-21 15:21	Report/Verified: 03-Dec-21 15:48	
Procedure	Result	Units	Reference Interval
Cortisol 0 Min	22.0 ⁱ¹	ug/dL	

Test Information

il: Cortisol 0 Min

INTERPRETIVE INFORMATION: Adrenocorticotropic Hormone

6 a.m. - 10 a.m. reference interval: 6.0 - 18.4 µg/dL

4 p.m. - 8 p.m. reference interval: 2.7 - 10.5 µg/dL

8 hrs post 1 mg dexamethasone given at midnight: 0.0 - 5.0 µg/dL

Normal peak serum cortisol is greater than 18.0 µg/dL at 30 or 60 minutes after 250 micrograms of cosyntropin I.V.

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H=High, i=Test Information, L=Low, t=Interpretive Text, @=Performing lab

Unless otherwise indicated, testing performed at:

ARUP Laboratories

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Tracy I. George, MD

ARUP Accession: 21-337-900091

Report Request ID: 15063781

Printed: 08-Dec-21 12:32