

**Specimen Collected: 01-Dec-21 13:58**

**Cancer Antigen-GI (CA 19-9) | Received: 01-Dec-21 13:58 Report/Verified: 01-Dec-21 14:02**

Procedure	Result	Units	Reference Interval
Cancer Antigen-GI (CA 19-9)	36 <sup>H</sup> <sup>i1</sup>	U/mL	<=35

**Test Information**

i1: Cancer Antigen-GI (CA 19-9)

INTERPRETIVE INFORMATION: Cancer Antigen-GI (CA 19-9)

This test uses Roche CA 19-9 electrochemiluminescent immunoassay. Results obtained with different test methods or kits cannot be used interchangeably. CA 19-9 value is useful in monitoring pancreatic, hepatobiliary, gastric, hepatocellular, and colorectal cancer. CA 19-9 value, regardless of level, should not be interpreted as absolute evidence of the presence or absence of malignant disease.

\*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H=High, i=Test Information, L=Low, t=Interpretive Text, @=Performing lab

**Unless otherwise indicated, testing performed at:**

**ARUP Laboratories**

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Tracy I. George, MD

**ARUP Accession:** 21-335-900069

**Report Request ID:** 15063645

**Printed:** 07-Dec-21 15:41