

Specimen Collected: 08-Dec-22 09:18

Gastrointestinal Pathogens Panel | Received: 09-Dec-22 09:20 Report/Verified: 09-Dec-22 09:30 by PCR

Procedure	Result	Units	Reference Interval
Campylobacter PCR	Detected *		
Plesiomonas shigelloides PCR	Not Detected		
Salmonella PCR	Not Detected		
Vibrio PCR	Not Detected		
Vibrio cholerae PCR	Not Detected		
Yersinia enterocolitica PCR	Not Detected		
Enteroaggregative E.coli (EAEC) PCR	Not Detected		
Enteropathogenic E.coli (EPEC) PCR	Not Detected		
Enterotoxigenic E.coli (ETEC) PCR	Not Detected		
Shiga toxin-producing E.coli (STEC) PCR	Not Detected		
E.coli O157 PCR	N/A		
Shigella/Enteroinvasive E.coli PCR	Not Detected		
Cryptosporidium PCR	Not Detected		
Cyclospora cayetanensis PCR	Not Detected		
Entamoeba histolytica PCR	Not Detected		
Giardia lamblia PCR	Not Detected		
Adenovirus 40/41 PCR	Not Detected		
Astrovirus PCR	Not Detected		
Norovirus GI/GII PCR	Not Detected		
Rotavirus A PCR	Not Detected		
Sapovirus PCR	Not Detected		

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H-High, i-Test Information, L-Low, t-Interpretive Text, @=Performing lab

Unless otherwise indicated, testing performed at:

ARUP Laboratories

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

ARUP Accession: 22-342-900367

Report Request ID: 16442194

Printed: 09-Dec-22 09:56