

Specimen Collected: 08-Dec-22 13:56

Toxocara Antibodies, IgG by ELISA | Received: 08-Dec-22 13:56 Report/Verified: 08-Dec-22 13:57

Procedure	Result	Units	Reference Interval
Toxocara Antibodies, IgG by ELISA	15 ^{# i1}	U	[<= 8]

Test Information

il: Toxocara Antibodies, IgG by ELISA

INTERPRETIVE INFORMATION: Toxocara Antibodies, IgG by ELISA

<9 U ... Negative - No significant level of Toxocara IgG antibody detected.

9-11 U ... Equivocal - Recommend repeat testing in 2-4 weeks.

>11 U ... Positive - IgG antibodies to Toxocara detected, indicating current or past infection. False positive results due to infections with other helminths are possible.

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H-High, i-Test Information, L-Low, t-Interpretive Text, @=Performing lab

Unless otherwise indicated, testing performed at:

ARUP Laboratories

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

ARUP Accession: 22-342-900201

Report Request ID: 16442100

Printed: 08-Dec-22 14:05