

500 Chipeta Way, Salt Lake City, Utah 84108-1221

phone: 801-583-2787, toll free: 800-522-2787

Jonathan R. Genzen, MD, PhD, Chief Medical Officer

Patient Age/Sex: 29 years Unknown

Specimen Collected: 12-Oct-23 15:27

HPV High-Risk Screen Procedure	Received: 12-Oct-23 15:29	Report/Verified: 12-Oct-23 15:31
	Result	Units
		Reference Interval
HPV Source	Cervical	
HPV,High Risk by TMA	Detected * i1	

Test Information

i1: HPV, High Risk by TMA

INTERPRETIVE INFORMATION: HPV, High Risk by TMA

This test detects E6/E7 viral messenger RNA of 14 high-risk HPV types (16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, and 68) associated with cervical cancer and its precursor lesions. This test does not discriminate between the 14 high-risk HPV types. Sensitivity may be affected by specimen collection methods, stage of infection, and the presence of interfering substances. Results should be interpreted in conjunction with other available laboratory and clinical data. A negative high-risk HPV result does not exclude the presence of other high-risk HPV types.

HPV testing should not be used for screening or management of atypical squamous cells of undetermined significance (ASCUS) in women under age 21.

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H-High, i-Test Information, L-Low, t-Interpretive Text, @=Performing lab

Unless otherwise indicated, testing performed at:

ARUP Laboratories

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

ARUP Accession: 23-285-119026

Report Request ID: 18819903

Printed: 04-Dec-23 11:04