

**Specimen Collected: 11/13/2024 19:12 MST****Allergen, Food, Nut Components, IgE** | Received: 11/13/2024 19:13 MST Report/Verified: 11/13/2024 19:13 MST

| Procedure                            | Result              | Units | Reference Interval |
|--------------------------------------|---------------------|-------|--------------------|
| Allergen, Walnut rJug r 1            | 100.00 <sup>H</sup> | kU/L  | [<=0.09]           |
| Allergen, Cashew Component, rAna o 3 | 100.00 <sup>H</sup> | kU/L  | [<=0.09]           |
| Hzelnut Cor a1                       | 100.00 <sup>H</sup> | kU/L  | [<=0.09]           |
| Hzelnut Cor a8                       | 100.00 <sup>H</sup> | kU/L  | [<=0.09]           |
| Hzelnut Cor a9                       | 100.00 <sup>H</sup> | kU/L  | [<=0.09]           |
| Hzelnut Cor a14                      | 100.00 <sup>H</sup> | kU/L  | [<=0.09]           |

**RAST, Immunocap Score** | Received: 11/13/2024 19:13 MST Report/Verified: 11/13/2024 19:13 MST

| Procedure                             | Result                 | Units | Reference Interval |
|---------------------------------------|------------------------|-------|--------------------|
| Allergen, Interp, Immunocap Score IgE | See Note <sup>i1</sup> |       |                    |

**Test Information**

i1: Allergen, Interp, Immunocap Score IgE  
REFERENCE INTERVAL: Allergen, Interpretation

Less than 0.10 kU/L.....Class 0.....No significant level detected  
0.10-0.34 kU/L.....Class 0/1...Clinical relevance undetermined  
0.35-0.70 kU/L.....Class 1.....Low  
0.71-3.50 kU/L.....Class 2.....Moderate  
3.51-17.50 kU/L.....Class 3.....High  
17.51-50.00 kU/L.....Class 4.....Very High  
50.01-100.00 kU/L.....Class 5.....Very High  
Greater than 100.00kU/L..Class 6.....Very High

Allergen results of 0.10-0.34 kU/L are intended for specialist use as the clinical relevance is undetermined. Even though increasing ranges are reflective of increasing concentrations of allergen-specific IgE, these concentrations may not correlate with the degree of clinical response or skin testing results when challenged with a specific allergen. The correlation of allergy laboratory results with clinical history and in vivo reactivity to specific allergens is essential. A negative test may not rule out clinical allergy or even anaphylaxis.

\*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H=High, i=Test Information, L=Low, t=Interpretive Text, @=Performing lab

**Unless otherwise indicated, testing performed at:****ARUP Laboratories**

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

**ARUP Accession:** 24-318-900374**Report Request ID:** 20179829**Printed:** 11/15/2024 12:32 MST

Page 1 of 1