

Patient Age/Sex:

Unknown

Specimen Collected: 28-Oct-25 10:26**Resp Viruses DFA w/Rflx to Viral Culture** | Received: 28-Oct-25 10:27 | Report/Verified: 28-Oct-25 10:28

Procedure	Result	Units	Reference Interval
RSP Fac Source	Nasal		
Influenza A -DFA	Negative ^{f1}		[Negative]
Influenza B -DFA	Negative		[Negative]
Parainfluenza Type 1 -DFA	Negative		[Negative]
Parainfluenza Type 2 -DFA	Negative		[Negative]
Parainfluenza Type 3 -DFA	Negative		[Negative]
Adenovirus -DFA	Negative		[Negative]
Respiratory Syncytial Virus -DFA	Negative		[Negative]
Human Metapneumovirus DFA	Negative		[Negative]

Result Footnote

f1: Influenza A - DFA

The Respiratory Viruses DFA test has reflexed to culture to confirm negative or inadequate DFA results.

Viral Culture, Respiratoryⁱ¹

Source: Respiratory

Body Site: Nasal

Free Text Source:

Collected: 28-Oct-25 10:26

Received: 28-Oct-25 10:27

Final Report

Culture negative

Verified/Reported: 28-Oct-25 10:29**Test Information**

i1: Viral Culture, Respiratory

INTERPRETIVE INFORMATION: Viral Culture, Respiratory

Viruses that can be isolated by culture include: adenovirus; cytomegalovirus; enteroviruses; herpes simplex virus; influenza A and B viruses; parainfluenza virus types 1, 2, 3; respiratory syncytial virus; and varicella-zoster virus.

Rapid respiratory virus screening was performed for the following viruses: adenovirus; influenza A and B; parainfluenza types 1, 2, 3; and RSV.

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H=High, i=Test Information, L=Low, t=Interpretive Text, @=Performing lab

Unless otherwise indicated, testing performed at:**ARUP Laboratories**

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

ARUP Accession: 25-301-900072**Report Request ID:** 20901636**Printed:** 12-Nov-25 08:58

Page 1 of 1