

500 Chipeta Way, Salt Lake City, Utah 84108-1221

phone: 801-583-2787, toll free: 800-522-2787

Jonathan R. Genzen, MD, PhD, Chief Medical Officer

Patient Age/Sex:

Unknown

**Specimen Collected: 28-Oct-25 10:22****VZV by DFA w/Reflex to VZV****| Received: 28-Oct-25 10:23****Report/Verified: 28-Oct-25 10:23****Culture****Procedure****Result****Units****Reference Interval**

Varicella-Zoster Virus Fac

Skin Lesion

Source

Varicella-Zoster Virus, DFA

Negative <sup>f1</sup> <sup>i1</sup>

[Negative]

**Result Footnote**

f1: Varicella-Zoster Virus, DFA

The VZV DFA test has reflexed to culture to confirm negative or inadequate DFA results.

**Test Information**

i1: Varicella-Zoster Virus, DFA

INTERPRETIVE INFORMATION: VZV by DFA w/Reflex to VZV Culture

Approximately 20% of samples submitted for VZV are positive for herpes simplex virus. Testing for herpes simplex virus is NOT included in this test.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

Culture, Varicella-Zoster Virus

Source: Skin

Body Site: Lesion

Free Text Source:

Collected: 28-Oct-25 10:22

Received: 28-Oct-25 10:23

**Final Report**

Culture Negative for Varicella Zoster Virus

**Verified/Reported: 28-Oct-25 10:24**

\*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H=High, i=Test Information, L=Low, t=Interpretive Text, @=Performing lab

**Unless otherwise indicated, testing performed at:****ARUP Laboratories**

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

**ARUP Accession:** 25-301-900069**Report Request ID:** 20901639**Printed:** 12-Nov-25 08:59

Page 1 of 1