

---

**Specimen Collected:** 5/12/2025 00:01 MDT**Toxoplasma gondii Ab, IgG** | **Received:** 5/12/2025 11:55 MDT | **Report/Verified:** 5/12/2025 11:57 MDT

Procedure	Result	Units	Reference Interval
Toxoplasma gondii Ab, IgG	7.2 <sup>H i1</sup>	IU/mL	[<=7.1]

**Test Information**

i1: Toxoplasma gondii Ab, IgG

INTERPRETIVE INFORMATION: Toxoplasma Ab, IgG

7.1 IU/mL or less..... Not Detected

7.2-8.7 IU/mL ..... Indeterminate-Repeat testing in  
10-14 days may be helpful.

8.8 IU/mL or greater ... Detected

The best evidence for current infection is a significant change on two appropriately timed specimens, where both tests are done in the same laboratory at the same time.

This test should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular and Tissue-Based Products (HCT/P).

The magnitude of the measured result is not indicative of the amount of antibody present.

---

\*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H-High, i-Test Information, L-Low, t-Interpretive Text, @=Performing lab

---

**Unless otherwise indicated, testing performed at:****ARUP Laboratories**

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

**ARUP Accession:** 25-132-490005**Report Request ID:** 20439653**Printed:** 5/14/2025 08:14 MDT

Page 1 of 1