

Specimen Collected: 5/5/2026 08:25 MDT

GI Bact Panel w/Rflx to GI Exp Panel	Received: 5/5/2026 08:26 MDT	Report/Verified: 5/5/2026 08:28 MDT
---	-------------------------------------	--

Procedure	Result	Units	Reference Interval
Salmonella by PCR	Not Detected		
Campylobacter by PCR	Not Detected		
Shigella/Enteroinvasive E.coli by PCR	Not Detected		
Shiga toxin-producing E.coli (STEC) PCR	Not Detected ^{f1}		

GI Expanded Bacterial Panel by PCR	Received: 5/5/2026 08:26 MDT	Report/Verified: 5/5/2026 13:13 MDT
---	-------------------------------------	--

Procedure	Result	Units	Reference Interval
Yersinia enterocolitica by PCR	Not Detected		
Vibrio species by PCR	Not Detected		
Escherichia coli O157 by PCR	Not Detected		
Plesiomonas shigelloides by PCR	Not Detected		

Result Footnote

f1: Shiga toxin-producing E. coli (STEC) PCR

No organisms detected on initial bacterial screen, expanded bacterial panel has been added.

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H-High, i-Test Information, L-Low, t-Interpretive Text, @=Performing lab

Unless otherwise indicated, testing performed at:

ARUP Laboratories

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

ARUP Accession: 26-125-900013

Report Request ID: 20946001

Printed: 5/5/2026 13:15 MDT