

<u>Procedure</u>	<u>Result</u>	<u>Units</u>	<u>Ref Interval</u>	<u>Accession</u>	<u>Collected</u>	<u>Received</u>	<u>Reported/</u> <u>Verified</u>
Block ID	0			18-073-109744	14-Mar-18 12:47:00	14-Mar-18 12:47:00	15-Mar-18 14:24:52
HPV Source	Head			18-073-109744	14-Mar-18 12:47:00	14-Mar-18 12:47:00	15-Mar-18 14:24:01
HPV Genotype 16 by PCR	Negative			18-073-109744	14-Mar-18 12:47:00	14-Mar-18 12:47:00	15-Mar-18 14:24:01
HPV Genotype 18 by PCR	Positive *			18-073-109744	14-Mar-18 12:47:00	14-Mar-18 12:47:00	15-Mar-18 14:24:01

14-Mar-18 12:47:00 HPV Genotype 18 by PCR:
 INTERPRETIVE INFORMATION: HPV Genotype 16, 18 by PCR,
 head/neck

This test amplifies DNA of HPV16 and HPV18 associated with head and neck cancer. Sensitivity may be affected by specimen collection methods, stage of infection, and the presence of interfering substances. Results should be interpreted in conjunction with other available laboratory and clinical data. A negative result for HPV 16 or HPV 18 does not exclude the presence of other high-risk HPV types.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

* Abnormal, # = Corrected, C = Critical, f = Footnote, H = High, L = Low, t = Interpretive Text, @ = Reference Lab