

Specimen Collected: 08-Mar-21 12:24

Magnesium, RBC		Received: 08-Mar-21 12:24	Report/Verified: 08-Mar-21 14:34
Procedure	Result	Units	Reference Interval
Magnesium,RBCs	8.0 ^H _{i1}	mg/dL	3.6-7.5

Test Information

il: Magnesium, RBCs

INTERPRETIVE INFORMATION: MG RBC

RBC magnesium results reflect the intracellular stores and general homeostasis of magnesium. Results may be falsely low if RBCs in the submitted specimen are lysed or not promptly separated from plasma.

RBC magnesium concentration is reported as milligrams per deciliter (mg/dL). To convert concentration to micromoles per liter (mmol/L), divide the result by 2.43.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H=High, i=Test Information, L=Low, t=Interpretive Text, @=Performing lab

Unless otherwise indicated, testing performed at:

ARUP Laboratories

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Tracy I. George, MD

ARUP Accession: 21-067-900104

Report Request ID: 14707638

Printed: 09-Mar-21 10:04