

Specimen Collected: 17-Mar-21 11:38

Bacterial Vaginosis by TMA | **Received: 17-Mar-21 11:39** | **Report/Verified: 17-Mar-21 11:42**

Procedure	Result	Units	Reference Interval
-----------	--------	-------	--------------------

Bacterial Vaginosis by TMA	Positive * i1		
----------------------------	----------------------	--	--

TMA

Test Information

i1: Bacterial Vaginosis by TMA

INTERPRETIVE INFORMATION: Bacterial Vaginosis by TMA

A negative result does not preclude a possible infection.

A single qualitative result is determined based on relative amounts of the following target organisms: *Lactobacillus (L. gasseri, L. crispatus, and L. jensenii)*, *Gardnerella vaginalis*, and *Atopobium vaginae*. This assay does not report individual organisms.

Results should be interpreted in conjunction with other clinical data. This test has not been validated for use with specimens collected by patients at home.

This test is intended for medical purposes only and is not valid for the evaluation of suspected sexual abuse or for other forensic purposes.

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H-High, i-Test Information, L-Low, t-Interpretive Text, @=Performing lab

Unless otherwise indicated, testing performed at:

ARUP Laboratories

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Tracy I. George, MD

ARUP Accession: 21-076-900058

Report Request ID: 14717386

Printed: 17-Mar-21 11:46