

500 Chipeta Way, Salt Lake City, Utah 84108-1221

phone: 801-583-2787, toll free: 800-522-2787

Tracy I. George, MD, Chief Medical Officer

Patient Age/Sex: 30 years Male

Specimen Collected: 08-Mar-22 10:35

X-Ankylosing Spondylitis (HLAB27) | Received: 08-Mar-22 10:35 Report/Verified: 10-Mar-22 12:55

Procedure	Result	Units	Reference Interval
-----------	--------	-------	--------------------

Ankylosing Spondylitis Whole Blood

(HLAB27) Specimen

Ankylosing Spondylitis Negative <sup>f1 i1</sup>

(HLAB27)

**Result Footnote**

f1: Ankylosing Spondylitis (HLAB27)

Indication for testing: Assess genetic risk for ankylosing spondylitis.

The sample is negative for HLA-B27.

This result has been reviewed and approved by Eszter Lazar-Molnar, Ph.D.

**Test Information**

i1: Ankylosing Spondylitis (HLAB27)

BACKGROUND INFORMATION: Ankylosing Spondylitis (HLA-B27) Genotyping

CHARACTERISTICS: Ankylosing spondylitis (AS) is a chronic inflammatory disease that primarily causes pain and inflammation of the joints between the vertebrae of the spine and the sacroiliac joints. Inflammation and pain may occur in other parts of the body as well. HLA-B27 is strongly associated with ankylosing spondylitis (AS) as well as with Reiter syndrome, anterior uveitis, psoriatic arthritis, and inflammatory bowel disease.

INCIDENCE: Greater than 90 percent of patients with AS are HLA-B27 positive compared to 5-10 percent of the general population.

PENETRANCE: Two to eight percent of individuals with HLA-B27 will develop AS.

METHODOLOGY: Polymerase chain reaction (PCR) and fluorescence monitoring.

ANALYTICAL SENSITIVITY and SPECIFICITY: 99 percent

LIMITATIONS: This test does not rule out the B\*27:06 and 27:09 alleles, which are not associated with spondyloarthropathies. Certain rare alleles present in less than 1 percent of the population will not be detected. Other rare, or uncharacterized alleles may occur which may lead to false positive or false negative results.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Counseling and informed consent are recommended for genetic testing. Consent forms are available online.

\*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H-High, i-Test Information, L-Low, t-Interpretive Text, @=Performing lab

**Unless otherwise indicated, testing performed at:**

**ARUP Laboratories**

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Tracy I. George, MD

**ARUP Accession:** 22-067-900078

**Report Request ID:** 15080539

**Printed:** 10-Mar-22 14:48

Page 1 of 1