## ARUP LABORATORIES | aruplab.com

500 Chipeta Way, Salt Lake City, Utah 84108-1221

phone: 801-583-2787, toll free: 800-522-2787

Patient Age/Sex: 7 years **Female** Tracy I. George, MD, Chief Medical Officer

Specimen Collected: 07-Mar-22 14:46

Histoplasma Galactomannan Ag Received: 07-Mar-22 14:49 Report/Verified: 07-Mar-22 15:16

Quant, Urn

Procedure Result Units Reference Interval

Histoplasma 24.0 ng/mL

Galactomannan Ag

Quant, Urn

Histoplasma Detected \* f1 i1 Not Detected

Galactomannan Ag

Interp, Urn

## Result Footnote

Histoplasma Galactomannan Ag Interp, Urn

Cross-reactivity with other endemic mycoses (Blastomyces and Coccidioides) may occur. Positive test results should be correlated with other clinical findings and relevant exposure history.

## <u>Test Information</u>

i1: Histoplasma Galactomannan Ag Interp, Urn

INTERPRETIVE DATA: Histoplasma Galactomannan Antigen

Quantitative by EIA, Urine

Less than 0.4 ng/ml = Not Detected

0.4-0.7 ng/mL = Detected (below the limit of quantification)

0.8-24.0 ng/mL = Detected

Greater than 24.0 ng/mL = Detected (above the limit of quantification)

The quantitative range of this assay is 0.8-24.0 ng/mL. Antigen concentrations between 0.4-.07 or >24.0 ng/mL fall outside the linear range of the assay and cannot be accurately quantified.

This EIA test should be used in conjunction with other diagnostic procedures, including microbiological culture, histological examination of biopsy samples, and/or radiographic evidence, to aid in the diagnosis of histoplasmosis.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

\*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H-High, i-Test Information, L-Low, t-Interpretive Text, @=Performing lab

Unless otherwise indicated, testing performed at:

**ARUP Laboratories** 

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Tracy I. George, MD

ARUP Accession: 22-066-900133 Report Request ID: 15083127

Printed: 23-Mar-22 13:51

Page 1 of 1

Patient Report