

Specimen Collected: 20-Mar-23 14:26

Drug Panel 7A, Screen Only, Urine | Received: 23-Mar-23 14:28 Report/Verified: 23-Mar-23 14:44

Procedure	Result	Units	Reference Interval
Creatinine, Urine	152.5	mg/dL	[20.0-400.0]
Alcohol, Urn, Screen	Negative	mg/dL	[Cutoff 40]
Amphetamines, Urn, Screen	Negative	ng/mL	[Cutoff 300]
Barbiturates, Urn, Screen	Negative	ng/mL	[Cutoff 200]
Benzodiazepines, Urn, Screen	Negative	ng/mL	[Cutoff 200]
Cocaine, Urn, Screen	Negative	ng/mL	[Cutoff 150]
MDMA, Urn, Screen	Negative	ng/mL	[Cutoff 500]
Opiates, Urn, Screen	Positive	ng/mL	[Cutoff 300]
Oxycodone, Urn, Screen	Negative	ng/mL	[Cutoff 100]
Phencyclidine, Urn, Screen	Negative	ng/mL	[Cutoff 25]
THC, Urn, Screen	Negative	ng/mL	[Cutoff 50]
Drug Panel 7A, Screen Only - Comments	See Note <sup>i1</sup>		

**Test Information**

i1: Drug Panel 7A, Screen Only - Comments

INTERPRETIVE INFORMATION: Drug Panel 7A, Screen Only, Urine

This is a screening test only. False positive and false negative results can occur. Positive results are not automatically reflexed to a confirmatory test. Confirmation by GC/MS and/or LC-MS/MS must be requested separately. Confirmatory testing for drugs and/or drug classes detected by this screening test is recommended.

The absence of expected drug(s) and/or drug metabolite(s) may indicate non-compliance, inappropriate timing of specimen collection relative to drug administration, poor drug absorption, diluted/adulterated urine, or limitations of testing. The concentration at which the screening test can detect a drug or metabolite varies within a drug class. The concentration value must be greater than or equal to the cutoff to be reported as positive. Interpretive questions should be directed to the laboratory.

For medical purposes only; not valid for forensic use.

\*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H-High, i-Test Information, L-Low, t-Interpretive Text, @=Performing lab

*Unless otherwise indicated, testing performed at:*

**ARUP Laboratories**

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

**ARUP Accession:** 23-079-900239**Report Request ID:** 17731664**Printed:** 23-Mar-23 16:01

Page 1 of 1