



<u>Procedure</u>	<u>Result</u>	<u>Units</u>	<u>Ref Interval</u>	<u>Accession</u>	<u>Collected</u>	<u>Received</u>	<u>Reported/</u> <u>Verified</u>
21-Hydroxylase Antibody	1.0	U/mL	[0.0-1.0]	17-254-900112	11-Sep-17	11-Sep-17	11-Sep-17 13:07:00 13:07:00 13:11:02

11-Sep-17 13:07:00 21-Hydroxylase Antibody:  
 INTERPRETIVE INFORMATION: 21-Hydroxylase Antibody

A value greater than 1.0 Kronus Units/mL is considered positive for 21-OH Antibody.  
 Kronus units are arbitrary. Kronus Units = U/mL.

The 21-Hydroxylase Antibody assay is intended for the semi-quantitative determination of antibodies to steroid 21-hydroxylase in human serum.

The presence of antibodies to 21-hydroxylase (greater than 1.0 U/mL) is indicative of primary adrenal insufficiency (Addison's disease). Results should be interpreted in the context of clinical symptoms including functional adrenal testing.

In males with adrenal insufficiency and 21-hydroxylase antibodies within the reference interval (less than 1.0 U/mL), X-Linked Adrenoleukodystrophy (X-ALD) should be excluded by using Very Long-Chain Branched Fatty Acids in plasma (ARUP Test Code 2004250) for screening.

\* Abnormal, # = Corrected, C = Critical, f = Footnote, H = High, L = Low, t = Interpretive Text, @ = Reference Lab