Example Report

ARUP Laboratories
500 Chipeta Way – Salt Lake City, UT 84108
(800)522-2787 - www.aruplab.com
Julio C. Delgado, M.D. M.S., Director of Laboratories

Patient Age/Gender: Printed: 20-Sep-17 08:29:58

 Procedure
 Result
 Units
 Ref Interval
 Accession
 Collected Received Verified
 Verified

 Hepatitis B Genotype by Seq
 Type C
 17-257-900017
 14-Sep-17 14-Sep-17 14-Sep-17
 08:25:00 08:25:00 08:26:30

 HBV Surface Antigen Mutations by Seq
 Not Detected
 17-257-900017
 14-Sep-17 14-Sep-17 14-Sep-17 14-Sep-17
 14-Sep-17

14-Sep-17 08:25:00 HBV RT Polymerase Mutations by Seq:

HBV genotype and resistance interpretation is based on the following mutations: reverse transcriptase L80I/V, I169T, V173L, L180M, A181S/T/V, T184A/C/F/I/G/S/M/L, S202C/G/I, M204I/S/V, N236T, M250I/L/V; surface antigen P120T, D144A, G145R. Interpretation is provided by SeqHepB software from Evivar Medical.

14-Sep-17 08:25:00 HBV RT Polymerase Mutations by Seq: INTERPRETIVE INFORMATION: HBV Genotype by Sequencing

Both the HBV RT polymerase and the HBsAg encoding regions are sequenced. Resistance and surface antigen mutations are reported. In addition, the major HBV genotypes are identified. Mutations in viral sub-populations below 20 percent of total may not be detected.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

* Abnormal, # = Corrected, C = Critical, f = Footnote, H = High, L = Low, t = Interpretive Text, @ = Reference Lab

Chart ID: Page 1 of 1