



<u>Procedure</u>	<u>Result</u>	<u>Units</u>	<u>Ref Interval</u>	<u>Accession</u>	<u>Collected</u>	<u>Received</u>	<u>Reported/ Verified</u>
HPV ISH High Risk	Negative		[Negative]	17-263-900195	20-Sep-17 15:49:00	20-Sep-17 15:50:00	20-Sep-17 15:51:58
HPV High Risk ISH Comment	See Note	f		17-263-900195	20-Sep-17 15:49:00	20-Sep-17 15:50:00	20-Sep-17 15:51:58
ISH Tissue Source	Biopsy			17-263-900195	20-Sep-17 15:49:00	20-Sep-17 15:50:00	20-Sep-17 15:51:58
ISH Reference Number	S17-123			17-263-900195	20-Sep-17 15:49:00	20-Sep-17 15:50:00	20-Sep-17 15:51:58
H and E Slide Description	See Note			17-263-900195	20-Sep-17 15:49:00	20-Sep-17 15:50:00	20-Sep-17 15:51:58

20-Sep-17 15:49:00 HPV High Risk ISH Comment:

RNA Positive control confirms the integrity of specimen nucleic acids.

Controls were run and performed as expected.

This result has been reviewed and approved by Benjamin L. Witt, M.D.

20-Sep-17 15:49:00 HPV ISH High Risk:  
 TEST INFORMATION: HPV High Risk ISH, Paraffin

This test detects genotypes: 16 and 18

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement A: aruplab.com/CS

\* Abnormal, # = Corrected, C = Critical, f = Footnote, H = High, L = Low, t = Interpretive Text, @ = Reference Lab