



<u>Procedure</u>	<u>Result</u>	<u>Units</u>	<u>Ref Interval</u>	<u>Accession</u>	<u>Collected</u>	<u>Received</u>	<u>Reported/</u> <u>Verified</u>
Enterovirus and Parechovirus Source	Serum			17-262-900249	19-Sep-17	19-Sep-17	19-Sep-17
Enterovirus by PCR	<b>Detected *</b>			17-262-900249	19-Sep-17	19-Sep-17	19-Sep-17
Parechovirus by PCR	Not Detected	f		17-262-900249	19-Sep-17	19-Sep-17	19-Sep-17

19-Sep-17 16:30:00 Parechovirus by PCR:

NOT DETECTED - A negative result does not rule out the presence of PCR inhibitors in the patient specimen or assay specific nucleic acid in concentrations below the level of detection by the assay.

19-Sep-17 16:30:00 Enterovirus by PCR:  
 INTERPRETIVE INFORMATION: Enterovirus by PCR

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement A: aruplab.com/CS

19-Sep-17 16:30:00 Parechovirus by PCR:  
 INTERPRETIVE INFORMATION: Parechovirus by PCR

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

\* Abnormal, # = Corrected, C = Critical, f = Footnote, H = High, L = Low, t = Interpretive Text, @ = Reference Lab