

Patient Age/Sex:

Female

Specimen Collected: 7/28/2025 15:08 MDT

Trypanosoma cruzi IgG, purified antigen | Received: 7/28/2025 15:13 MDT | Report/Verified: 7/28/2025 15:16 MDT

Procedure	Result	Units	Reference Interval
T.cruzi IgG, Purified Antigen	1.2 ^H ⁱ¹	IV	[<=1.0]

Test Information

i1: T. cruzi IgG, Purified Antigen

INTERPRETIVE INFORMATION: T. cruzi IgG, Purified Antigen

1.0 IV or less.....Negative - No significant level of Trypanosoma cruzi IgG antibody detected.

1.1 IV.....Equivocal - Questionable presence of Trypanosoma cruzi IgG antibody detected. Repeat testing in 10-14 days may be helpful.

1.2 IV or greater...Positive - IgG antibodies to Trypanosoma cruzi detected, which may suggest current or past infection.

According to the CDC, at least two different serologic tests should be used to make the laboratory diagnosis of chronic Chagas Disease, as no single serologic test is sufficiently sensitive and specific. If results between the two assays are discrepant, repeat testing or testing by a third method may be helpful.

This assay should not be used for blood donor screening or associated re-entry protocols, or for screening Human Cell and Cellular Tissue-Based Products (HCT/Ps).

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H=High, i=Test Information, L=Low, t=Interpretive Text, @=Performing lab

Unless otherwise indicated, testing performed at:

ARUP Laboratories

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

ARUP Accession: 25-209-900092

Report Request ID: 20525795

Printed: 7/29/2025 08:42 MDT

Page 1 of 1