

Patient Age/Sex: 25 years Male

Specimen Collected: 12-Aug-25 08:06

SARS-CoV-2 (COVID-19) by NAA	Received: 12-Aug-25 08:06	Report/Verified: 12-Aug-25 14:32
Procedure	Result	Units
SARS-CoV-2 Source	Nasopharyngeal	Reference Interval
SARS-CoV-2 by NAA	Detected * i1	

**Test Information**

i1: SARS-CoV-2 by NAA

INTERPRETIVE INFORMATION: SARS-CoV-2 (COVID-19) by NAA

This test should be ordered for the detection of the 2019 novel coronavirus SARS-CoV-2 in individuals who meet SARS-CoV-2 clinical and/or epidemiological criteria.

Not Detected results do not rule out the presence of PCR inhibitors in the patient specimen or assay-specific nucleic acid in concentrations below the level of detection by the assay.

Detected results are indicative of the presence of SARS-CoV-2 RNA. Due to the complexity of nucleic acid amplification methodologies, there may be a risk of false-positive results. Clinical correlation with patient history and other diagnostic information is necessary to determine patient infection status.

Reliable results are dependent on adequate specimen collection, transport, storage, and handling.

\*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H=High, i=Test Information, L=Low, t=Interpretive Text, @=Performing lab

**Unless otherwise indicated, testing performed at:****ARUP Laboratories**

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

**ARUP Accession:** 25-224-900027**Report Request ID:** 20842114**Printed:** 12-Aug-25 14:36

Page 1 of 1