

Client: ARUP Example Report Only
 500 Chipeta Way
 Salt Lake City, UT 84108-
 USA

Patient:
DOB:
Sex: Male
Patient Identifiers: 69994
Visit Number (FIN): 70414
Client Supplied ID:

Provider: Jones ,Shalane

Specimen Collected: 7/23/2025 09:59 MDT

Trypanosoma cruzi Antibody, IgG Panel | Received: 7/23/2025 09:59 MDT | Report/Verified: 7/23/2025 10:09 MDT

Procedure	Result	Units	Reference Interval
T.cruzi IgG, Recombinant Antigen	0.9 ^{H i1}	S/CO	[<=0.8]
T.cruzi IgG, Purified Antigen	1.1 ^{H i2}	IV	[<=1.0]

Test Information

i1: T. cruzi IgG, Recombinant Antigen

INTERPRETIVE INFORMATION: T. cruzi IgG, Recombinant Antigen

0.8 S/Co or less Negative - No significant level of Trypanosoma cruzi IgG antibody detected.

0.9 - 1.1 S/Co Equivocal - Questionable presence of Trypanosoma cruzi IgG antibody detected. Repeat testing in 10-14 days may be helpful.

1.2 S/Co or greater Positive - IgG antibodies to Trypanosoma cruzi detected, which may suggest current or past infection.

i2: T. cruzi IgG, Purified Antigen

INTERPRETIVE INFORMATION: T. cruzi IgG, Purified Antigen

1.0 IV or less.....Negative - No significant level of Trypanosoma cruzi IgG antibody detected.

1.1 IV.....Equivocal - Questionable presence of Trypanosoma cruzi IgG antibody detected. Repeat testing in 10-14 days may be helpful.

1.2 IV or greater...Positive - IgG antibodies to Trypanosoma cruzi detected, which may suggest current or past infection.

According to the CDC, at least two different serologic tests should be used to make the laboratory diagnosis of chronic Chagas Disease, as no single serologic test is

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H=High, i=Test Information, L=Low, t=Interpretive Text, @=Performing lab

Unless otherwise indicated, testing performed at:

ARUP Laboratories

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

ARUP Accession: 25-204-900036

Report Request ID: 20523682

Printed: 7/23/2025 10:14 MDT

Page 1 of 2

Patient: TEST, CHAGAS PAN2**DOB:****Patient Identifiers:** 69994

Test Information

i2: T. cruzi IgG, Purified Antigen
sufficiently sensitive and specific. If results between the two assays are discrepant, repeat testing or testing by a third method may be helpful.

This assay should not be used for blood donor screening or associated re-entry protocols, or for screening Human Cell and Cellular Tissue-Based Products (HCT/Ps).

*=Abnormal, #=Corrected, C=Critical, f=Result Footnote, H=High, i=Test Information, L=Low, t=Interpretive Text, @=Performing lab

Unless otherwise indicated, testing performed at:**ARUP Laboratories**

500 Chipeta Way, Salt Lake City, UT 84108

Laboratory Director: Jonathan R. Genzen, MD, PhD

ARUP Accession: 25-204-900036**Report Request:** 20523682**Printed:** 7/23/2025 10:14 MDT

Page 2 of 2