

HOTLINE: Effective May 3, 2021

### MEDICARE COVERAGE OF LABORATORY TESTING

Please remember when ordering laboratory tests that are billed to Medicare/Medicaid or other federally funded programs, the following requirements apply:

1. Only tests that are medically necessary for the diagnosis or treatment of the patient should be ordered. Medicare does not pay for screening tests except for certain specifically approved procedures and may not pay for non-FDA approved tests or those tests considered experimental.
2. If there is reason to believe that Medicare will not pay for a test, the patient should be informed. The patient should then sign an Advance Beneficiary Notice (ABN) to indicate that he or she is responsible for the cost of the test if Medicare denies payment.
3. The ordering physician must provide an ICD-10 diagnosis code or narrative description, if required by the fiscal intermediary or carrier.
4. Organ- or disease-related panels should be billed only when all components of the panel are medically necessary.
5. Both ARUP- and client-customized panels should be billed to Medicare only when every component of the customized panel is medically necessary.
6. Medicare National Limitation Amounts for CPT codes are available through the Centers for Medicare & Medicaid Services (CMS) or its intermediaries. Medicaid reimbursement will be equal to or less than the amount of Medicare reimbursement.

The CPT Code(s) for test(s) profiled in this bulletin are for informational purposes only. The codes reflect our interpretation of CPT coding requirements, based upon AMA guidelines published annually. CPT codes are provided only as guidance to assist you in billing. ARUP strongly recommends that clients reconfirm CPT code information with their local intermediary or carrier. CPT coding is the sole responsibility of the billing party.

The regulations described above are only guidelines. Additional procedures may be required by your fiscal intermediary or carrier.

Hotline Page #	Test Number	Summary of Changes by Test Name	Name Change	Methodology	Performed/Reported Schedule	Specimen Requirements	Reference Interval	Interpretive Data	Note	CPT Code	Component Change	Other Interface Change	New Test	Inactive
4	<a href="#">2014521</a>	Acetaminophen Quantitative, Urine			x									
4	<a href="#">0091366</a>	Acetazolamide Quantitative, Serum or Plasma			x									
4	<a href="#">0091328</a>	Acyclovir, Serum or Plasma			x									
12	<a href="#">2007615</a>	Allergen, Food, Honey IgE												x
12	<a href="#">0099548</a>	Allergen, Occupational, Tobacco												x
4	<a href="#">2014043</a>	Amphetamines (D/L Differentiation), Urine			x									
4	<a href="#">2008682</a>	Anabolic Steroids, Urine - Screen with Reflex to Confirmation			x									
4	<a href="#">0096048</a>	Antidepressant Panel Quantitative, Urine			x									

HOTLINE: Effective May 3, 2021

Hotline Page #	Test Number	Summary of Changes by Test Name	Name Change	Methodology	Performed/Reported Schedule	Specimen Requirements	Reference Interval	Interpretive Data	Note	CPT Code	Component Change	Other Interface Change	New Test	Inactive
5	<a href="#">2007342</a>	Arsenic Analysis, Hair			x									
5	<a href="#">2005273</a>	Baclofen Quantitative, Serum or Plasma			x									
5	<a href="#">0091282</a>	Barium Quantitative, Serum or Plasma			x									
5	<a href="#">2011411</a>	Bath Salts Panel, Serum or Plasma			x									
5	<a href="#">2008650</a>	Bath Salts Panel, Urine			x									
5	<a href="#">0091516</a>	Benztropine Quantitative, Serum or Plasma			x									
5	<a href="#">0091330</a>	Boron Quantitative, Serum or Plasma			x									
5	<a href="#">0091299</a>	Bupirone Quantitative, Serum or Plasma			x									
5	<a href="#">0091352</a>	Carbidopa and Levodopa Quantitative, Serum or Plasma			x									
5	<a href="#">2014505</a>	Chromium, RBC			x									
6	<a href="#">2003302</a>	Citalopram Quantitative, Serum or Plasma			x									
6	<a href="#">0091362</a>	Clonidine, Serum or Plasma			x									
6	<a href="#">0092572</a>	Cutaneous Direct Immunofluorescence, Biopsy							x					
6	<a href="#">0091155</a>	Cyclobenzaprine Quantitative, Urine			x									
6	<a href="#">0091301</a>	Diazoxide Quantitative, Serum or Plasma			x									
6	<a href="#">0091308</a>	Diphenhydramine Quantitative, Serum or Plasma			x									
6	<a href="#">0092382</a>	Escitalopram Quantitative, Serum or Plasma			x									
6	<a href="#">0091319</a>	Ethambutol Quantitative, Serum or Plasma			x									
6	<a href="#">0091116</a>	Flunitrazepam and Metabolites, Serum or Plasma, Screen with Reflex to Confirmation/Quantitation			x									
7	<a href="#">3000183</a>	Flunitrazepam and Metabolites, Urine Screen with Reflex to Confirmation/Quantitation			x									
7	<a href="#">0091341</a>	Fluoride Quantitative, Serum or Plasma			x									
7	<a href="#">2014180</a>	Fluoxetine and Metabolite Quantitative, Serum or Plasma			x									
7	<a href="#">0091234</a>	Fluvoxamine Quantitative, Serum or Plasma			x									
7	<a href="#">0091193</a>	Gamma-Hydroxybutyric Acid (GHB), Serum or Plasma - Screen with Reflex to Confirmation/Quantitation			x									
7	<a href="#">0091161</a>	Gamma-Hydroxybutyric Acid (GHB), Urine - Screen with Reflex to Confirmation/Quantitation			x									
7	<a href="#">2006450</a>	Hepatitis Delta Antigen by ELISA				x								
7	<a href="#">2010214</a>	Hereditary Renal Cancer Panel, Sequencing and Deletion/Duplication								x				
7	<a href="#">2014183</a>	Ibuprofen Quantitative, Serum or Plasma			x									
12	<a href="#">3003443</a>	Influenza, SARS-CoV-2, and RSV by NAA												x

Hotline Page #	Test Number	Summary of Changes by Test Name	Name Change	Methodology	Performed/Reported Schedule	Specimen Requirements	Reference Interval	Interpretive Data	Note	CPT Code	Component Change	Other Interface Change	New Test	Inactive
8	<a href="#">0091507</a>	Ketamine and Metabolite Quantitative, Serum or Plasma			x									
12	<a href="#">0050021</a>	LDL Subclasses												x
8	<a href="#">2011413</a>	Lead, RBC			x									
8	<a href="#">0091197</a>	Lidocaine and Metabolite Quantitative, Serum or Plasma			x									
8	<a href="#">2013018</a>	Lurasidone Quantitative, Serum or Plasma			x									
8	<a href="#">2007254</a>	Manganese, RBC			x									
8	<a href="#">3001158</a>	Melatonin Quantitative, Serum or Plasma			x									
8	<a href="#">0092390</a>	Metformin Quantitative, Serum or Plasma			x									
8	<a href="#">2006299</a>	Methaqualone Quantitative, Urine			x									
8	<a href="#">3000253</a>	Methylphenidate and Metabolite Quantitative, Serum or Plasma			x									
9	<a href="#">0091453</a>	Metoprolol Quantitative, Serum or Plasma			x									
9	<a href="#">0091280</a>	Molybdenum Quantitative, Serum or Plasma			x									
12	<a href="#">3001291</a>	Neisseria gonorrhoeae Antibody by CF, Serum												x
9	<a href="#">0070346</a>	Parathyroid Hormone, Intact				x			x		x			
9	<a href="#">0090786</a>	Paroxetine Quantitative, Serum or Plasma			x									
12	<a href="#">2010102</a>	PCA3 - Prostate Cancer Biomarker by Transcription-Mediated Amplification												x
9	<a href="#">2013025</a>	Perampanel Quantitative, Serum or Plasma			x									
9	<a href="#">0091551</a>	Phenobarbital, Total/Unbound/Bound, S/P			x									
9	<a href="#">2013230</a>	Polychlorinated Biphenyls (PCB) Panel, Congeners, Serum or Plasma			x									
9	<a href="#">3000712</a>	Propafenone Quantitation, Serum or Plasma			x									
10	<a href="#">0091538</a>	Propylene Glycol, Serum or Plasma			x									
10	<a href="#">3000240</a>	Prostaglandin D2 (PG D2), Urine				x								
10	<a href="#">0091539</a>	Silicon Quantitative, Serum or Plasma			x									
10	<a href="#">0091222</a>	Silver Quantitative, Serum or Plasma			x									
10	<a href="#">0091228</a>	Silver, Urine			x									
10	<a href="#">3000508</a>	Synthetic Cannabinoid Metabolites, Qualitative, Urine			x									
10	<a href="#">3000584</a>	Tapentadol, Free, Serum or Plasma			x									
10	<a href="#">3001184</a>	Tiagabine Quantitative, Serum/Plasma			x									
10	<a href="#">0091585</a>	Tin Total Quantitative, Serum or Plasma			x									
11	<a href="#">2014686</a>	Tramadol and Metabolite, Quantitative, Serum or Plasma			x									

HOTLINE: Effective May 3, 2021

Hotline Page #	Test Number	Summary of Changes by Test Name	Name Change	Methodology	Performed/Reported Schedule	Specimen Requirements	Reference Interval	Interpretive Data	Note	CPT Code	Component Change	Other Interface Change	New Test	Inactive
11	<a href="#">0091286</a>	Vanadium Quantitative, Serum or Plasma			x									
11	<a href="#">2011039</a>	Vigabatrin Quantitative, Serum or Plasma			x									
11	<a href="#">0090805</a>	Warfarin Quantitative, Serum or Plasma			x									
11	<a href="#">3000721</a>	Ziprasidone Quantitation, Serum or Plasma			x									

[2014521](#)

**Acetaminophen Quantitative, Urine**

**ACETA U**

Performed: Varies  
Reported: 5-8 days

[0091366](#)

**Acetazolamide Quantitative, Serum or Plasma**

**ACETAZOLAM**

Performed: Varies  
Reported: 5-8 days

[0091328](#)

**Acyclovir, Serum or Plasma**

**ACYCLOV**

Performed: Varies  
Reported: 8-11 days

[2014043](#)

**Amphetamines (D/L Differentiation), Urine**

**AMP DLDIFF**

Performed: Varies  
Reported: 8-11 days

[2008682](#)

**Anabolic Steroids, Urine - Screen with Reflex to Confirmation**

**STEROIDS**

Performed: Varies  
Reported: 8-18 days

[0096048](#)

**Antidepressant Panel Quantitative, Urine**

**ANTIDEP U**

Performed: Varies  
Reported: 4-7 days

<a href="#"><u>2007342</u></a>	<b>Arsenic Analysis, Hair</b>	<b>ARS HAIR</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	9-12 days	
<a href="#"><u>2005273</u></a>	<b>Baclofen Quantitative, Serum or Plasma</b>	<b>BACLO SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	4-7 days	
<a href="#"><u>0091282</u></a>	<b>Barium Quantitative, Serum or Plasma</b>	<b>BARIUM SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	5-8 days	
<a href="#"><u>2011411</u></a>	<b>Bath Salts Panel, Serum or Plasma</b>	<b>BATHSLT SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#"><u>2008650</u></a>	<b>Bath Salts Panel, Urine</b>	<b>BATH SALTS</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#"><u>0091516</u></a>	<b>Benzotropine Quantitative, Serum or Plasma</b>	<b>BENZTROP S</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	4-7 days	
<a href="#"><u>0091330</u></a>	<b>Boron Quantitative, Serum or Plasma</b>	<b>BORON SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#"><u>0091299</u></a>	<b>Bupirone Quantitative, Serum or Plasma</b>	<b>BUSPIRON</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	4-7 days	
<a href="#"><u>0091352</u></a>	<b>Carbidopa and Levodopa Quantitative, Serum or Plasma</b>	<b>SINEMET SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#"><u>2014505</u></a>	<b>Chromium, RBC</b>	<b>CR RBC</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	

<a href="#"><u>2003302</u></a>	<b>Citalopram Quantitative, Serum or Plasma</b>	<b>CITALO</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	5-8 days	
<a href="#"><u>0091362</u></a>	<b>Clonidine, Serum or Plasma</b>	<b>CLONIDI SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#"><u>0092572</u></a>	<b>Cutaneous Direct Immunofluorescence, Biopsy</b>	<b>CUTDIF</b>
<b>CPT Code(s):</b>	88346; 88350 x5	
<a href="#"><u>0091155</u></a>	<b>Cyclobenzaprine Quantitative, Urine</b>	<b>CYCLOBEN U</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	4-7 days	
<a href="#"><u>0091301</u></a>	<b>Diazoxide Quantitative, Serum or Plasma</b>	<b>DIAZOXID</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#"><u>0091308</u></a>	<b>Diphenhydramine Quantitative, Serum or Plasma</b>	<b>DIPHENHYDR</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	4-7 days	
<a href="#"><u>0092382</u></a>	<b>Escitalopram Quantitative, Serum or Plasma</b>	<b>ESCITALO</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	4-7 days	
<a href="#"><u>0091319</u></a>	<b>Ethambutol Quantitative, Serum or Plasma</b>	<b>ETHAMBUT</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#"><u>0091116</u></a>	<b>Flunitrazepam and Metabolites, Serum or Plasma, Screen with Reflex to Confirmation/Quantitation</b>	<b>FLUNITR SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	5-12 days	

<a href="#"><u>3000183</u></a>	<b>Flunitrazepam and Metabolites, Urine Screen with Reflex to Confirmation/Quantitation</b>	<b>FLUNI URN</b>
Performed:	Varies	
Reported:	5-12 days	
<a href="#"><u>0091341</u></a>	<b>Fluoride Quantitative, Serum or Plasma</b>	<b>FLUORIDE</b>
Performed:	Varies	
Reported:	8-11 days	
<a href="#"><u>2014180</u></a>	<b>Fluoxetine and Metabolite Quantitative, Serum or Plasma</b>	<b>FLUOX SP</b>
Performed:	Varies	
Reported:	5-8 days	
<a href="#"><u>0091234</u></a>	<b>Fluvoxamine Quantitative, Serum or Plasma</b>	<b>FLUVOXAM</b>
Performed:	Varies	
Reported:	5-8 days	
<a href="#"><u>0091193</u></a>	<b>Gamma-Hydroxybutyric Acid (GHB), Serum or Plasma - Screen with Reflex to Confirmation/Quantitation</b>	<b>GHB SP</b>
Performed:	Varies	
Reported:	5-12 days	
<a href="#"><u>0091161</u></a>	<b>Gamma-Hydroxybutyric Acid (GHB), Urine - Screen with Reflex to Confirmation/Quantitation</b>	<b>GHB U</b>
Performed:	Varies	
Reported:	5-12 days	
<a href="#"><u>2006450</u></a>	<b>Hepatitis Delta Antigen by ELISA</b>	<b>HEPD AG</b>
<b>Specimen Required:</b> Collect: Plain Red or Serum Separator Tube (SST). Specimen Preparation: Transfer 1 mL serum to an ARUP Standard Transport Tube. (Min: 0.5 mL) Test is not performed at ARUP; separate specimens must be submitted when multiple tests are ordered. Storage/Transport Temperature: <b>CRITICAL FROZEN.</b> Unacceptable Conditions: Grossly hemolyzed or lipemic specimens. Stability (collection to initiation of testing): Ambient: Unacceptable; Refrigerated: Unacceptable; Frozen: 2 weeks		
<a href="#"><u>2010214</u></a>	<b>Hereditary Renal Cancer Panel, Sequencing and Deletion/Duplication</b>	<b>RENCAPAN</b>
CPT Code(s):	81292; 81294; 81295; 81297; 81298; 81300; 81317; 81319; 81321; 81323; 81351	
<a href="#"><u>2014183</u></a>	<b>Ibuprofen Quantitative, Serum or Plasma</b>	<b>IBUPRO SP</b>
Performed:	Varies	
Reported:	8-11 days	

<a href="#"><u>0091507</u></a>	<b>Ketamine and Metabolite Quantitative, Serum or Plasma</b>	<b>KETAMINE S</b>
Performed:	Varies	
Reported:	5-8 days	
<a href="#"><u>2011413</u></a>	<b>Lead, RBC</b>	<b>LEAD RBC</b>
Performed:	Varies	
Reported:	8-11 days	
<a href="#"><u>0091197</u></a>	<b>Lidocaine and Metabolite Quantitative, Serum or Plasma</b>	<b>LIDOCAIN</b>
Performed:	Varies	
Reported:	5-8 days	
<a href="#"><u>2013018</u></a>	<b>Lurasidone Quantitative, Serum or Plasma</b>	<b>LURASID</b>
Performed:	Varies	
Reported:	8-11 days	
<a href="#"><u>2007254</u></a>	<b>Manganese, RBC</b>	<b>MANG RBC</b>
Performed:	Varies	
Reported:	8-11 days	
<a href="#"><u>3001158</u></a>	<b>Melatonin Quantitative, Serum or Plasma</b>	<b>MELATON SP</b>
Performed:	Varies	
Reported:	8-11 days	
<a href="#"><u>0092390</u></a>	<b>Metformin Quantitative, Serum or Plasma</b>	<b>METFORM SP</b>
Performed:	Varies	
Reported:	8-11 days	
<a href="#"><u>2006299</u></a>	<b>Methaqualone Quantitative, Urine</b>	<b>METHAQ UR</b>
Performed:	Varies	
Reported:	8-11 days	
<a href="#"><u>3000253</u></a>	<b>Methylphenidate and Metabolite Quantitative, Serum or Plasma</b>	<b>METHYL SP</b>
Performed:	Varies	
Reported:	8-11 days	



<a href="#">0091453</a>	<b>Metoprolol Quantitative, Serum or Plasma</b>	<b>METOPRO SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#">0091280</a>	<b>Molybdenum Quantitative, Serum or Plasma</b>	<b>MOLYBDEN</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#">0070346</a>	<b>Parathyroid Hormone, Intact</b>	<b>PTH-INT</b>
<b>Specimen Required:</b>	<p><b>Collect:</b> Lavender (EDTA) or pink (K<sub>2</sub>EDTA). Also acceptable: Green (sodium or lithium heparin) plain red or serum separator tube.  <b>Specimen Preparation:</b> <b>Allow serum specimen to clot fully at room temperature.</b> Transfer 2 mL serum or plasma to an ARUP Standard Transport Tube. (Min: 0.5 mL)  <b>Storage/Transport Temperature:</b> Frozen. Separate specimens must be submitted when multiple tests are ordered.  <b>Unacceptable Conditions:</b> Body Fluid (refer to Parathyroid Hormone, FNA, ARUP test code 2001491); Urine. Rapid Serum Tubes (RST). Hemolyzed samples. Grossly lipemic samples.  <b>Stability (collection to initiation of testing):</b> After separation from cells: Ambient: 8 hours; Refrigerated: 48 hours; Frozen: 6 months</p>	
<b>HOTLINE NOTE:</b> Remove information found in the Remarks field.		
Remove information found in the Note field.		
There is a component change associated with this test.		
Remove component 0097086, Parathyroid Hormone, Client Calcium Rslt		
<a href="#">0090786</a>	<b>Paroxetine Quantitative, Serum or Plasma</b>	<b>PAROXE SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	4-7 days	
<a href="#">2013025</a>	<b>Perampanel Quantitative, Serum or Plasma</b>	<b>PERAMP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#">0091551</a>	<b>Phenobarbital, Total/Unbound/Bound, S/P</b>	<b>PHENOBAR</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#">2013230</a>	<b>Polychlorinated Biphenyls (PCB) Panel, Congeners, Serum or Plasma</b>	<b>PCB PAN</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	5-8 days	
<a href="#">3000712</a>	<b>Propafenone Quantitation, Serum or Plasma</b>	<b>PROPA SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	

<a href="#"><u>0091538</u></a>	<b>Propylene Glycol, Serum or Plasma</b>	<b>PROPY GLY</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#"><u>3000240</u></a>	<b>Prostaglandin D2 (PG D2), Urine</b>	<b>PROST D2U</b>
<b>Specimen Required:</b>	Patient Prep: Aspirin, indomethacin, or anti-inflammatory medications should be discontinued, if possible, at least 48 hours prior to collection. Collect: Random urine Specimen Preparation: Transfer 10 mL urine to ARUP Standard Transport Tubes and freeze immediately. (Min: 5 mL) <b>Test is not performed at ARUP; separate specimens must be submitted when multiple tests are ordered.</b> Storage/Transport Temperature: CRITICAL FROZEN. Unacceptable Conditions: 24 hour urine collection. Stability (collection to initiation of testing): Ambient: Unacceptable; Refrigerated: Unacceptable; Frozen: 1 month	
<a href="#"><u>0091539</u></a>	<b>Silicon Quantitative, Serum or Plasma</b>	<b>SILICON SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#"><u>0091222</u></a>	<b>Silver Quantitative, Serum or Plasma</b>	<b>SILVER SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#"><u>0091228</u></a>	<b>Silver, Urine</b>	<b>SILVER URN</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#"><u>3000508</u></a>	<b>Synthetic Cannabinoid Metabolites, Qualitative, Urine</b>	<b>SYN CAN U</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	5-8 days	
<a href="#"><u>3000584</u></a>	<b>Tapentadol, Free, Serum or Plasma</b>	<b>TAPEN SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#"><u>3001184</u></a>	<b>Tiagabine Quantitative, Serum/Plasma</b>	<b>TIAGAB SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	
<a href="#"><u>0091585</u></a>	<b>Tin Total Quantitative, Serum or Plasma</b>	<b>TIN SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	3-6 days	

---

<a href="#"><u>2014686</u></a>	<b>Tramadol and Metabolite, Quantitative, Serum or Plasma</b>	<b>TRAMADOL</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	4-7 days	

---

<a href="#"><u>0091286</u></a>	<b>Vanadium Quantitative, Serum or Plasma</b>	<b>VANADIU SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	

---

<a href="#"><u>2011039</u></a>	<b>Vigabatrin Quantitative, Serum or Plasma</b>	<b>VIGABAT</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	

---

<a href="#"><u>0090805</u></a>	<b>Warfarin Quantitative, Serum or Plasma</b>	<b>WARF SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	

---

<a href="#"><u>3000721</u></a>	<b>Ziprasidone Quantitation, Serum or Plasma</b>	<b>ZIPRA SP</b>
<b>Performed:</b>	Varies	
<b>Reported:</b>	8-11 days	

HOTLINE: Effective **May 3, 2021**

**The following will be discontinued from ARUP's test menu on May 3, 2021.  
Replacement test options are supplied if applicable.**

<b>Test Number</b>	<b>Test Name</b>	<b>Refer To Replacement</b>
<a href="#">2007615</a>	Allergen, Food, Honey IgE	
<a href="#">0099548</a>	Allergen, Occupational, Tobacco	
<a href="#">3003443</a>	Influenza, SARS-CoV-2, and RSV by NAA	SARS-CoV-2 (COVID-19) by NAA and Respiratory Virus Mini Panel by PCR ( <a href="#">3002638</a> and <a href="#">0060764</a> )
<a href="#">0050021</a>	LDL Subclasses	LipoFit by NMR or LipoFit by NMR, Particle Count Only ( <a href="#">2013716</a> or <a href="#">2013715</a> )
<a href="#">3001291</a>	Neisseria gonorrhoeae Antibody by CF, Serum	
<a href="#">2010102</a>	PCA3 - Prostate Cancer Biomarker by Transcription-Mediated Amplification	