

## CRITICAL VALUES LIST

Arterial Blood Gases			
Test	Value		Associated Test Number
pH	$\leq 7.25$ or $\geq 7.6$		0010011 0020305
PCO <sub>2</sub>	$\leq 20$ or $\geq 60$ mmHg		2005757
PO <sub>2</sub>	$\leq 40$ mmHg		2005757
Hemoglobin	$\leq 7.0$ g dL		0040085
Chemistry			
Test	Value		Associated Test Number
Bicarbonate (total CO <sub>2</sub> )	$< 10$ or $> 40$ mmol/L		0020245
Bilirubin, Total	$> 15$ mg/dL		0020426
Calcium, Ionized	$\leq 0.78$ or $\geq 1.58$ mmol/L		0020135
Calcium, Total	$< 6.0$ or $> 13.0$ mg/dL		0020027
Glucose (birth to 30 days)	$< 46$ or $> 200$ mg/dL		
Glucose (>30 days to adult)	$< 55$ or $> 450$ mg/dL		0020024
Iron	$> 500$ $\mu$ g/dL		0020037
Glucose, WB POC	$< 60$ or $> 450$ mg/dL		0025090
Glucose, WB, neonatal POC	$< 40$ or $> 200$ mg/dL		0025094
Magnesium	$< 1.0$ or $> 9.0$ mg/dL		0020039
Phosphorus	$< 1.0$ or $> 9.0$ mg/dL		0020028
Potassium	$< 3.0$ or $> 6.1$ mmol/L		0020002
Sodium	$< 120$ or $> 160$ mmol/L		0020001
Troponin I	$\geq 0.30$ ng/mL		0090613
Hematology			
Test	Value		Associated Test Number
Hematocrit (birth to 6 days)	$\leq 35\%$ or $\geq 65\%$		
Hematocrit (>6 days to adult)	$\leq 21\%$ or $\geq 65\%$		0040080
Hemoglobin (birth to 6 days)	$\leq 12.0$ or $\geq 22.0$ g/dL		
Hemoglobin	$\leq 7$ or $> 21.0$ g/dL		0040085
Platelet Count	$\leq 20$ or $\geq 1000 \times 10^3/\mu$ L		0040002
White Blood Cell Count	$\leq 2.0$ or $\geq 40 \times 10^3/\mu$ L		0040320
Coagulation			
Test	Value	Comments	Associated Test Number
Prothrombin Time	$\geq 45.0$ seconds	When ordered as part of a panel, other criteria apply.	0030215
INR	$\geq 5.0$		0030223
PTT	$\geq 85$ seconds	When ordered as part of a panel, other criteria apply.	0030235
Fibrinogen	$< 100$ mg/dL		0030130
Factor 2	$\leq 5\%$	When ordered as part of a panel, other criteria apply.	0030007
Factor 5	$\leq 5\%$	When ordered as part of a panel, other criteria apply.	0030075
Factor 7	$\leq 6\%$		0030080
Factor 8	$\leq 5\%$	When ordered as part of a panel, other criteria apply.	0030095
Chromogenic Factor 8	$\leq 5\%$		3002343
Factor 9	$\leq 5\%$	When ordered as part of a panel, other criteria apply.	0030100
Factor 10	$\leq 7\%$		0030105
Factor 11	$\leq 5\%$	When ordered as part of a panel, other criteria apply.	0030110
Factor 13	$\leq 5\%$		2006182

## CRITICAL VALUES LIST

Infectious Disease		
Detection of infectious agent in	by	Comments
Blood	Positive culture, smear, rapid antigen, or nucleic acid test (NAT) detection (not speciation)	AFB, bacterial, fungal, parasite (except anaplasma, ehrlichia, and babesia)
Bone marrow	Positive culture or smear	AFB, bacterial, fungal, viral, parasite
Body fluid (except gastrointestinal fluid or urine sources)	Positive culture or smear	AFB, bacterial, fungal, viral, parasite
CSF or other central nervous system specimen	Positive culture, smear, or rapid antigen	AFB, bacterial, fungal, viral (except Enterovirus), parasite
CSF or other central nervous system specimen	NAT	All pathogens except Enterovirus, Parechovirus, EBV, HIV, JC virus, CMV, HHV6, and parvovirus
Eye/ocular	Positive culture, smear, or NAT	AFB, bacterial, fungal, viral, parasite
Tissue	Positive culture or smear	AFB, bacterial, fungal, viral, parasite

Infectious Disease		
Detection of infectious agent	by	Comments
<i>Mycobacterium sp.</i> , acid fast bacillus (AFB)	First positive stain or First positive culture	Within the last 90 days
<i>Mycobacterium tuberculosis</i>	Identification, positive NAT, and resistance to primary anti-tuberculosis agents (INF and RIF)	Within the last 90 days
Any clinically significant mold (excluding contaminants)	Positive culture or NAT from original specimen	BAL, bronch wash, sinus, or any sterile site
Any mold	Positive culture or NAT from original specimen	Bone Marrow Transplant locations at U of U hospital
<i>Histoplasma capsulatum</i> , <i>Blastomyces dermatitidis</i> , <i>Talaromyces (Penicillium) marneffei</i> , <i>Coccidioides immitis</i> , <i>Cryptococcus neoformans</i> , and <i>Cryptococcus gattii</i>	Identification by culture or NAT	
<i>Candida auris</i>	Positive culture	U of U hospital locations
<i>Cryptococcus</i>	First positive antigen	Within the last 90 days
<i>Nocardia</i>	Positive culture	
Select agents and other highly pathogenic organisms: <i>Bacillus anthracis</i> , <i>Brucella spp.</i> ( <i>B. abortus</i> , <i>B. melitensis</i> , <i>B. suis</i> ), <i>Burkholderia mallei</i> , <i>Burkholderia pseudomallei</i> , <i>Francisella tularensis</i> , <i>Yersinia pestis</i> , and <i>Corynebacterium diphtheriae</i> , <i>Salmonella typhi</i> , <i>Vibrio cholera</i> , <i>Clostridium botulinum</i>	Identification by any method	
5- fluorocytosine	≥ 100 µg/mL	

## CRITICAL VALUES LIST

<b>Toxicology</b>			
<b>Test</b>	<b>Value</b>	<b>Comments</b>	<b>Associated Test Number</b>
Acetone	> 100 mg/dL		0090005
Acetaminophen	> 150 µg/mL > 40 µg/mL	4 hours post ingestion; 12 hours post ingestion	0090001
Amikacin	> 30 µg/mL > 8 g/mL	Peak—draw 30 minutes post infusion Trough—draw 30 minutes before infusion	0090295 0090300
Caffeine (Neonate)	> 20 µg/mL		2011603
Cyanide	> 100 µg/mL		0090060
Digoxin	> 2.4 ng/mL	Trough—draw 8–12 hours post dose; minimum post dose 6 hours	0090080
Ethanol	> 250 mg/dL		0090120
Ethylene Glycol	> 20 mg/dL		0090110
Gentamicin	> 12 µg/mL > 2 g/mL	Peak—draw 30 minutes post infusion Trough—draw 30 minutes before infusion	0090305 0090310
Isopropanol	> 50 mg/dL		0090144
Methanol	> 20 mg/dL		0090165
Lidocaine	> 9 µg/mL	> 30 minutes post IV dose after steady state (5–10 hours)	0090155
Lithium	≥ 1.6 mmol/L	Trough	0020038
Pentobarbital	> 10 µg/mL	Test	2011549
Primidone	> 15 µg/mL	Test	0090202
Procainamide	> 12 µg/mL	Test	0090151
NAPA	> 35 g/mL	Trough	
Quinidine	> 10 µg/mL	Trough	0090245
Salicylate	> 300 µg/mL or > 30 mg/dL		0090251
TCA—Tricyclics	> 400 ng/mL		0090307
Tobramycin	> 12 µg/mL > 2 µg/mL	Peak—draw 30 minutes post infusion Trough—draw 30 minutes before infusion	0090315 0090320
Vancomycin	> 80 µg/mL > 80 g/mL	Trough Peak (not recommended)	0090330 0090325

<b>Trace and Toxic Elements</b>			
<b>Test</b>	<b>Value</b>	<b>Associated Test Number</b>	
Lead, blood	≥ 45 µg/dL (birth–18 years) ≥ 70 µg/dL (≥ 19 years)	0020098	

<b>Transfusion Services</b>			
<b>Test</b>	<b>Value</b>	<b>Associated Test Number</b>	
Antibody Screen	Positive	0013044	
DAT (Direct Coombs)	Positive	0014008	